

NAPPY WASH POWDER

SAFETY DATA SHEET

1. COMPANY AND PRODUCT IDENTIFICATION

| 1.1 | Identification – Product Name: | Nappy Wash Powder |
|-----|--|---|
| 1.2 | Other means of identification | Nappy Wash |
| 1.2 | Synonym: | NAPP05, NAPP25 |
| 1.3 | Recommended Use of the Chemical | A cleaning aid in washing nappies and whites. |
| 1.5 | and Restrictions on Use: | |
| | Name, Address, and Telephone Number of the | Curran Cleaning Supplies |
| 1.4 | Manufacturer, or Other Responsible Party: | 1/1 Churchill Street |
| 1.4 | | Williamstown VIC 3016 |
| | Competent Person email address | sales@currancleaningsupplies.com.au |
| 1.5 | Poisons Hotline (24 hrs): | 13 11 26 |
| 1.6 | Issued Date | NOVEMBER 2021 |

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: This product is a **white powder** with **a distinctive odour.** Exposure to this product may cause skin corrosion (burns) or serious eye damage. This product may be harmful if it is swallowed and it enters airways. May be harmful if swallowed.

| Physical Hazards Summary | | Not classifiable | | |
|----------------------------------|--|--|---|--|
| Potential Health Hazards Summary | | Skin corrosion, Category 1 Serious eye damage, Category 1 Acute oral toxicity, Category 5 Specific target organ toxicity, single exposure (inhalation), Category 3 | | |
| Potenti | al Ecological Effects Summary | Not classifiable | | |
| 2.1 | Classification of Product | | | |
| | Classification as per GHS (Rev 3)/2009 | Skin corrosion, Category 1 Serious eye damage, Category 1 Acute oral toxicity, Category 5 Specific target organ toxicity, single exposure (inhalation), Category 3 | | |
| 2.2 | Label Elements GHS | | | |
| | Signal Word | DANGER | DANGER | |
| | Hazard Statements | H314 H301 H371 | Causes severe skin burns and eye damage. May be harmful if swallowed. May cause respiratory irritation. | |
| | Precautionary Statements: Prevention P264 P280 P260 P272 | | Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust. Contaminated clothing should not be allowed out of the workplace. | |
| | | P273 P391 P270 | Avoid release to the environment. Collect spillage. Do not eat, drink or smoke when using this product. | |

| | Precautionary Statements: Response | P305+P351+P338+P310 P302+P352 P321 P363 P333+P313 | IF IN EYES rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN wash with soap and water. Specific treatment: See first aid section on this SDS. Wash contaminated clothing before reuse. If skin irritation or a rash occurs, get medical advice/attention. |
|-----|---|--|---|
| | Precautionary statements: | P301+P310 None | IF SWALLOWED immediately call a POISON CENTER. None |
| | Storage | | - 13 |
| | Precautionary Statements: Disposal | P501 | Dispose of contents/container in accordance with all federal, state and local regulation. |
| | Hazard pictograms | | |
| 2.3 | Unclassified Hazards | None | |
| 2.4 | Ingredients with unknown acute toxicity | None | |

3. COMPOSITION AND INFORMATION ON INGREDIENTS

| Chemical name (CAS #) | % w/w | GHS |
|---|--------------|---|
| Sodium Carbonate (CAS # 497-19-8) | <30% | Serious eye damage, Category 1 (H318) Specific target organ toxicity (Inhalation), Category 3 (H371) |
| Linear Alkylbenzenesulphonic Acid (CAS # 68584-22-5) | <5% | Serious eye damage, Category 1A Skin corrosion, Category 1A Metal corrosion, Category 1 Acute oral toxicity, Category 4 Acute dermal toxicity, Category 3 |
| Sodium Percarbonate (CAS # 15630-89-4) Non-hazardous components (CAS # N/A) | <30% >30% | Acute oral toxicity, Category 4 (H302) Serious eye damage, Category 1 (H318) Oxidising solid, Category 2 (H272) Not classifiable as hazardous under the GHS |

4. FIRST-AID MEASURES

| 4.1 | Description of Necessary Measures | | | |
|-----|--|---|--|--|
| | Skin exposure: If this product contaminates the skin, immediately begin decontamination with ru water. Remove exposed or contaminated clothing, taking care not to contaminate Victim should seek immediate medical attention if any adverse exposure symptom develop or irritation persists. | | | |
| | Eye exposure: | If this product enters the eyes, open victim's eyes while under gently running water. Use sufficient force to open eyelids. Victim should "roll" eyes while being flushed. Minimum flushing is for 15 minutes. Seek medical attention immediately. | | |
| | Inhalation: | If this product is inhaled, remove victim to fresh air and place in a position comfortable for breathing. If necessary, use artificial respiration to support vital functions. Remove or cover gross contamination to avoid exposure to rescuers. | | |
| | Ingestion: | If this product is swallowed, CALL POISION CENTER or PHYSICIAN FOR MOST CURRENT INFORMATION. DO NOT INDUCE VOMITING. Mouth should be rinsed with water if conscious. Never induce vomiting or give a diluent (e.g., water) to someone who is unconscious, having convulsions, or unable to swallow. If contaminated individual is convulsing, maintain an open airway and obtain immediate medical attention. | | |

| 4.2 | Most Important Symptoms/Effects: | Immediate: Inhalation exposure may cause coughing or sneezing/respiratory tract irritation or difficulty breathing. Symptoms of skin and eye contact may include redness and irritation. Ingestion may cause stomach pains, cramps, and gastritis. Delayed: Prolonged or repeated skin overexposure to this product may cause dermatitis (dry, red skin). |
|-----|--|--|
| 4.3 | Indication Of Immediate Medical Attention And Special Treatment Needed, If Necessary: | None known. TARGET ORGANS: Acute: Eyes, Skin, Respiratory Tract |

Victims of chemical exposure must be taken for medical attention if any adverse effects occur. Rescuers should be taken for medical attention if necessary. Take a copy of label and SDS to physician or health professional with victim.

| | 5. FIRE-FIGHTING MEASURES | | | | | |
|-----|--|--|--------------------------------|-----------------------------|----------------------------|--|
| 5.0 | Flammability properties | Flash Point °C: N | Flash Point °C: Not applicable | | | |
| | | Auto-ignition Te | emperature °C: | Not evaluated | | |
| | | Flammable Limi | its (in air by volu | ime, %): Not evaluated | | |
| 5.1 | Suitable and Unsuitable Extinguishing Media: | This material should not contribute to the intensity of a fire. Use extinguishing material suitable for ordinary combustibles. | | | Use extinguishing material | |
| | | Water spray | YES | Carbon dioxide | YES | |
| | | Foam | YES | Dry chemical | YES | |
| | | Halon | NO | Other | | |
| 5.2 | Specific Hazards Arising from Chemical: | When involved in a fire, this material may decompose and produce irritating fumes and toxic gases. May also contribute to a fire's intensity as this product contains oxidising solids. Explosion Sensitivity to Mechanical Impact: None. | | | | |
| | | | | ischarge: Vapours are not e | expected to ignite | |
| 5.3 | Special Protective Equipment and Precautions for Fire- Fighters: | Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Move containers from fire area if it can be done without risk to personnel. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas. | | | | |
| 5.4 | HAZCHEM Code | Not applicable | Not applicable | | | |

| | 6. ACCIDENTAL RELEASE MEASURES | | | | |
|-----|--|--|--|--|--|
| 6.1 | 6.1 Personal Precautions Uncontrolled releases should be responded to only by trained person planned procedures. Proper protective equipment should be used. In the affected area and protect people. | | | | |
| | Protective equipment: | For small releases (< 20 kg), clean up spilled powder wearing gloves, goggles, and suitable body protection. Transfer to containers for proper disposal. The minimum Personal Protective Equipment recommended for response to non-incidental releases (more than 20 kg) should be Level C: triple-gloves (neoprene gloves over nitrile gloves), chemical resistant suit and boots and full-face respirator with Organic Vapour cartridge. Monitoring must indicate oxygen levels above 19.5% in order to use air purifying respirators. Prevent further leak/release if it is safe to do so. Do not let the product enter drains. | | | |
| | Emergency procedures: | Eliminate all ignition sources. Stop leak if you can do so without risk. Monitoring must indicate that exposure levels are below those provided in Section 8 (Exposure Controls-Personal Protection) and that oxygen levels are above 19.5% before anyone is permitted in the area without Self-Contained Breathing Apparatus. | | | |
| 6.2 | Environmental Precautions | May produce adverse effects to marine organisms and their environment. | | | |
| 6.3 | Methods and Materials for Containment and Cleaning Up | Sweep up spills. Collect spilled material for proper disposal. Decontaminate the area thoroughly. Place all spill residues in a suitable container. Dispose of in accordance with applicable Australian Federal, State, or local procedures, or appropriate local standards. | | | |

| 7. HANDLING | AND | STORAGE |
|-------------|-----|---------|
| | | |

| 7.1 | Precautions for Safe Handling | All employees who handle this material should be trained to handle it safely. Open containers carefully on a stable surface. Ensure all connections are tight before transfer. Empty containers may contain residual powder; therefore, empty containers should be handled with care. Keep away from ignition sources; no smoking. | |
|-----|----------------------------------|---|--|
| | | As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat or drink while handling this material. Remove contaminated clothing promptly. | |
| 7.2 | Conditions for Safe Storage | Keep containers tightly closed. Store individual containers out of direct sunlight. Tanks should be stored away from intense heat or direct sunlight. Avoid freezing. Store away from incompatible materials. Storage and use areas should be covered with impervious materials. Keep container tightly closed when not in use. Inspect all incoming containers before storage, to ensure containers are properly labelled and not damaged. | |
| | Incompatibilities | Water and moisture. | |

8. EXPOSURE CONTROLS - PERSONAL PROTECTION

| 8.1 | Appropriate Engineering Controls. | Ensure ventilation is adequate and that air concentrations of components are controlled below quoted Exposure Standards. Avoid generating and inhaling mists. Use with local exhaust ventilation or while wearing organic vapour respirator or particulate respirator meeting the requirements of AS1715 and AS1716. Keep containers closed when not in use. |
|-----|-----------------------------------|--|
| 8.2 | Personal Protective Equipment | |
| | Respiratory protection: | None needed under normal conditions of use. Use only approved respirators if ventilation is inadequate to control dust. |
| | Eye protection: | Use approved safety goggles or safety glasses. Splash goggles with a face shield may be needed if splash hazards exist. |
| | Hand protection: | Wear chemical impervious gloves (e.g., Solvex TM , Neoprene, Nitrile). |
| | Body protection: | None normally needed. If needed, use body protection appropriate for task (e.g., Tyvek suit, rubber apron) to protect from splashes and sprays. Nomex coveralls are recommended for handling bulk product. |
| 8.3 | Biological monitoring | Biological monitoring is required if ventilation is inadequate to maintain concentration of airborne hazardous chemicals below the following exposure standards. |
| | | WorkSafe Australia has not set exposure or biological limits for any of the component parts of this product. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | This product is a white powder | | | |
|------------------------------|--|---|--------------------|--|
| Odour | Distinctive | Odour Threshold | Not applicable | |
| Melting Point °C | Not evaluated | pН | 10.5 (1% solution) | |
| Initial Boiling Point °C | >100 | Boiling Point Range °C | Not evaluated | |
| Flammability | Not flammable | Evaporation Rate (n-butyl acetate = 1) | Not evaluated | |
| Vapour Density (air = 1) | Not evaluated | Vapour Pressure mm Hg @ 20°C: | Not evaluated | |
| Solubility (in water) | Completely soluble | Relative density (water = 1) | 1.0 | |
| Viscosity Not applicable | | Oil-Water Partition Coefficient Not evaluated | | |
| How to Detect this Substance | This product will have distinctive odour | | | |
| (Warning Properties): | | | | |

10. STABILITY AND REACTIVITY

| 10.1 | Reactivity | Will not react with most other chemicals. Reacts with water. |
|------|------------------------------------|---|
| 10.2 | Chemical Stability | Stable under normal use and storage. |
| 10.3 | Possibility of hazardous reactions | Hazardous polymerization will not occur. |
| 10.4 | Conditions to avoid | Avoid mixing with incompatible substances. Avoid moisture. |
| 10.5 | Incompatible materials | Water, moisture. |
| 10.6 | Hazardous decomposition products | This product has no significant hazardous decomposition products, and is unlikely to undergo thermal degradation. |

11. TOXICOLOGICAL INFORMATION

11.1 Toxicology Information

Note: This product has not been evaluated for its toxicity as a whole.

| Component | Oral LD ₅₀ (mg/kg) | Dermal LD ₅₀ (mg/kg) | Inhalation LC ₅₀ (mg/m ³) | Skin Irritation | Serious eye damage |
|--|----------------------------------|---------------------------------|--|----------------------|-----------------------|
| Sodium Carbonate (CAS # 497-19-8) | 4090 mg/kg (Rat) | No data available | No data available | No data available | YES |
| Sodium Percarbonate (CAS # 15630-89-4) | 1034 mg/kg (Rat) | >2000 mg/kg (Rat) | No data available | No | YES |
| Linear Alkylbenzenesulphonic Acid (CAS # 68584-22-5) | No data available | No data available | No data available | YES | YES |

12. ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

12.1 Ecological Information

Note: This product has not been evaluated for its ecologic impact as a whole.

| Component | Toxicity to fish | Toxicity to daphnia | Bioaccumulation | Solubility | Biodegradability |
|--|---|--|-------------------|--|---|
| Sodium Carbonate (CAS # 497-19-8) | 400 mg/L (LC50, P. Promelas) | No data available | No data available | No data available | Not biodegradable |
| Sodium Percarbonate (CAS # 15630-89-4) | 70.7 mg/L (LC50, 96 hr, Pimephales promelas) | 4.9 mg/L (EC50, 48 hr, Daphnia magna) | Not expected | Disassociates to hydrogen peroxide, sodium carbonate in water | Rapidly degradable in water treatment plant |
| Linear Alkylbenzenesulphonic Acid (CAS # 68584-22-5) | No data available | No data available | No data available | No data available | No data available |

| 12 | 2.2 | Persistence and Degradability | This product is expected to be readily biodegradable. |
|----|-----|----------------------------------|--|
| 12 | 2.3 | Bio-accumulative Potential | This product is not expected to bio-accumulate. |
| 12 | 2.4 | Mobility in Soil | When spilled onto soil, this product is expected to evaporate slowly. |
| 12 | 2.5 | Other Adverse Ecological Effects | This product may be harmful to aquatic life if large volumes of it are released into an aquatic environment. |

13. DISPOSAL CONSIDERATIONS

| Preparing Wastes of this Product for Disposal | Waste disposal must be in accordance with appropriate Australian Federal, State, and local regulations or with local regulations. |
|---|---|
| Disposal of Contaminated Packaging | Cleaned containers can be recycled or disposed of as non-contaminated waste, if authorized by your local authorities. Dispose of containers as required by local regulations. |

14. TRANSPORT INFORMATION

Australian Domestic

| 14.1 | UN Number | NOT classified as dangerous goods for transport by road or rail |
|------|--|---|
| 14.2 | Proper Shipping Name or Technical Name | |
| 14.3 | Transport Hazard Class(es) | |
| | Transport label(s) required | |
| 14.4 | Packing Group | |
| 14.5 | HAZCHEM Code | |
| 14.6 | Environmental Hazards for Transport Purposes | |
| 14.7 | Special Precautions for User | |
| 14.8 | Additional information | |

15. REGULATORY INFORMATION

International

| Part | Regulatory Programme | Classification |
|------|--|----------------|
| 15.1 | Montreal Protocol | Not applicable |
| 15.2 | The Stockholm Convention | Not applicable |
| 15.3 | The Rotterdam Convention | Not applicable |
| 15.4 | Basel Convention | Not applicable |
| 15.5 | International Convention for the Prevention of | Not applicable |
| | Pollution from Ships | |

Australian Commonwealth and State Regulations

| Part | Regulatory Programme | Classification |
|------|---|---|
| 15.6 | Medicine/Poisons Schedule Number | Poisons, S 5 |
| 15.7 | Prohibition/ Notification/ Licensing requirements? | Not applicable |
| 15.8 | Controlled usage under <i>Agricultural and Veterinary Code Act 1994</i> (Cth) or otherwise (and any applicable Commonwealth, State or Territory control-of-use legislation) | Not applicable |
| 15.9 | Chemical listed on the Australian Inventory of Chemical Substances <i>Act</i> 1989 | All ingredients in the product are listed on the AICS |

16. OTHER INFORMATION

| 16.1 | Original Preparation | 18 November 2019 |
|------|----------------------|----------------------------------|
| 16.2 | Revision History | 0.0 18 November 2019 |
| 16.3 | Prepared by | Curran Cleaning Supplies Pty Ltd |
| | | 1/1 Churchill Street |
| | | Williamstown VIC 3016 |

DEFINITIONS OF TERMS

| 16.5 A large number of abbreviations and acronyms appear on this SDS. The following constitutes definitions of those common | | previations and acronyms appear on this SDS. The following constitutes definitions of those commonly used terms. |
|---|------------|--|
| | Section 2 | GHS: Global Harmonization System Model WHS: Australia's model Workplace Health and Safety Guidelines CLP: Classification and Packaging STOT: Specific Target Organ Toxicity |
| | Section 3 | CAS #: Chemical Abstract Service index number |
| | Section 5 | Health Hazard: 0 (material that on exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials); 1 (materials that on exposure under fire conditions could cause irritation or minor residual injury); 2 (materials that on intense or continued exposure under fire conditions could cause temporary incapacitation or possible residual injury); 3 (materials that can on short exposure could cause serious temporary or residual injury); 4 (materials that under very short exposure could cause death or major residual injury). Flammability Hazard Reactivity Hazard: Refer to definitions for "Hazardous Materials Identification System". Flash Point: Minimum temperature at which a liquid gives off sufficient vapours to form an ignitable mixture with air. Autoignition Temperature: The minimum temperature required to initiate combustion in air with no other source of ignition. LEL: The lowest percent of vapour in air, by volume, that will explode or ignite in the presence of an ignition source. UEL: |
| | Section 8 | TLV - Threshold Limit Value - an airborne concentration of a substance which represents conditions under which it is generally believed that nearly all workers may be repeatedly exposed without adverse effect. The duration must be considered, including the 8-hour Time Weighted Average (TWA), the 15-minute Short Term Exposure Limit, and the instantaneous Ceiling Level (C). Skin absorption effects must also be considered IDLH - Immediately Dangerous to Life and Health - This level represents a concentration from which one can escape within 30-minutes without suffering escape-preventing or permanent injury. The DFG - MAK is the Republic of Germany's Maximum Exposure Level, similar to the U.S. PEL. NIOSH is the National Institute of Occupational Safety and Health, which is the research arm of the U.S. Occupational Safety and Health Administration (OSHA). NIOSH issues exposure guidelines called Recommended Exposure Levels (RELs). When no exposure guidelines are established, an entry of NE (Not Established) is made for reference. |
| | Section 11 | LD ₅₀ : Lethal Dose (solids & liquids) which kills 50% of the exposed animals; LC ₅₀ : Lethal Concentration (gases) which kills 50% of the exposed animals; ppm: Concentration expressed in parts of material per million parts of air or water; mg/m³: Concentration expressed in weight of substance per volume of air; mg/kg: Quantity of material, by weight, administered to a test subject, based on their body weight in kg IARC - the International Agency for Research on Cancer; NTP - the National Toxicology Program, RTECS - the Registry of Toxic Effects of Chemical Substances, TDLo, the lowest dose to cause a symptom and TCLo the lowest concentration to cause a symptom; TDo, LDLo, and LDo, or TC, TCo, LCLo, and LCo, the lowest dose (or concentration) to cause lethal or toxic effects. BEI - Biological Exposure Indices, represent the levels of determinants which are most likely to be observed in specimens collected from a healthy worker who has been exposed to chemicals to the same extent as a worker with inhalation exposure to the TLV. |
| | Section 12 | LC ₅₀ : The lowest concentration in water which kills 50% of the test subjects. EC ₅₀ : The Effect Concentration in water at which 50% of the test species if affected. |

DISCLAIMER

The information in this SDS has been provided in good faith, and is believed to the best of the author's knowledge to be accurate as of the date of preparation. However, the author does not represent this to be a comprehensive and exhaustive assessment of the product's risks. There is always a chance that risks were beyond the state of scientific knowledge at the time of writing. It is expected that individuals receiving the information will exercise their independent judgement in determining its appropriateness for a particular purpose. Accordingly, we shall not be responsible for damages of any kind resulting from the use or reliance upon the information in this document.