

# **XHDC**

## **SAFETY DATA SHEET**

#### 1. COMPANY AND PRODUCT IDENTIFICATION

1.1	Identification – Product Name:	XHDC (Heavy Duty Cleaner)
1.2	Other means of identification	Heavy Duty Cleaner
1.2	Synonym:	XHDC20
1.3	Recommended Use of the Chemical	To be used as a cleaning aid in kitchens and work areas.
1.3	and Restrictions on Use:	
	Name, Address, and Telephone Number of the	Curran Cleaning Supplies
1.4	Manufacturer, or Other Responsible Party:	7 Churchill Street
1.4		Williamstown VIC 3016
	Competent Person email address	sales@currancleaningsupplies.com.au
1.5	Poisons Hotline (24 hrs):	13 11 26
1.6	Issued Date	AUGUST 2022

#### 2. HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW:** This product is a translucent red liquid with a distinctive odour. Exposure to this product may cause skin corrosion (burns) or serious eye damage. Harmful to aquatic life. May be corrosive to metals. This product is not flammable.

Physical Hazards Summary		Metal corrosion, Category 1		
Detection III and III and Communication		Serious eye damage, Category 1		
Pote	ential Health Hazards Summary	Skin corrosion, Category	1	
Dotont	ial Ecological Effects Summary	Acute aquatic toxicity, Ca	tegory 3	
rotent	- Legiogical Effects Summary			
2.1	Classification of Product			
		Metal corrosion, Category	1	
	Classification as per GHS	Serious eye damage, Cate		
	(Rev 3)/2009	Skin corrosion, Category		
	(Rev 3)/2007	Acute aquatic toxicity, Ca	tegory 3	
2.2	Label Elements GHS			
	Signal Word	DANGER		
	Hazard Statements	H318	Causes serious eye damage.	
	1141241 0 2 141011101101	H314	Causes severe skin burns and eye damage.	
		H290	Corrosive to metals.	
		H402	Harmful to aquatic life.	
	Precautionary Statements:	P264	Wash thoroughly after handling.	
	Prevention	P280	Wear protective gloves/protective clothing/eye protection/face protection.	
		P260	Do not breathe mist, vapour or fumes.	
		P272	Contaminated clothing should not be allowed out of the	
			workplace.	
		P273	Avoid release to the environment.	
		P391	Collect spillage.	
		P270	Do not eat, drink or smoke when using this product.	

	Precautionary Statements: Response	P305+P351+P338+P310  P302+P352 P321 P363 P333+P313 P301+P310  None	IF IN EYES rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN wash with soap and water. Specific treatment: See first aid section on this SDS. Wash contaminated clothing before reuse. If skin irritation or a rash occurs, get medical advice/attention. IF SWALLOWED immediately call a POISON CENTER. None
	Precautionary statements: Storage	None	None
	Precautionary Statements: Disposal	P501	Dispose of contents/container in accordance with all federal, state and local regulation.
	Hazard pictograms		
2.3	Unclassified Hazards	None	
2.4	Ingredients with unknown acute toxicity	None	

## 3. COMPOSITION and INFORMATION ON INGREDIENTS

**Recommended use:** Cleaning aid in kitchens and work areas **Appearance:** A translucent red liquid with a distinctive odour

Chemical name (CAS #)	% w/w	GHS		
Sodium Hydroxide (CAS # 1310-73-2)	<5%	Corrosive to metals, Category 1 (H290) Skin corrosion, Category 1 (H315)		
		Serious eye damage, Category 1 (H318)		
Proprietary Surfactant Blend	<5%	Acute toxicity, Oral, Category 4 (H302) Skin irritation, Category 2 (H315)		
		Serious eye damage, Category 1 (H318) Serious eye irritation, Category 2A (H315)		
Proprietary Solvent Blend	<5%	Serious eye irritation, Category 2A (H315) Skin irritation, Category 2 (H315) Acute oral toxicity, Category 4 (H302) Acute dermal toxicity, Category 4 (H312)		
Non-hazardous components (CAS # N/A)	>70%	Acute respiratory toxin, Category 4 (H332)  Not classifiable as hazardous under the GHS		

## 4. FIRST-AID MEASURES

4.1	Description of Necessar	y Measures
	Skin exposure:	If this product contaminates the skin, immediately begin decontamination with running water. Remove exposed or contaminated clothing, taking care not to contaminate eyes. Victim should seek immediate medical attention if any adverse exposure symptoms develop or irritation persists.
	Eye exposure:	If this product enters the eyes, open victim's eyes while under gently running water. Use sufficient force to open eyelids. Victim should "roll" eyes while being flushed. Minimum flushing is for 15 minutes. Seek medical attention immediately.
	Inhalation:	If this product is inhaled, remove victim to fresh air and place in a position comfortable for breathing.
	Ingestion:	If this product is swallowed, CALL POISION CENTER or PHYSICIAN FOR MOST CURRENT INFORMATION. DO NOT INDUCE VOMITING. Mouth should be rinsed with water if conscious. Never induce vomiting or give a diluent (e.g., water) to someone who is unconscious, having convulsions, or unable to swallow. If contaminated individual is convulsing, maintain an open airway and obtain immediate medical attention.

4.2	Most Important Symptoms/Effects:	Immediate: Inhalation exposure may cause difficulty in breathing. Symptoms of skin and eye contact may include redness and irritation. Ingestion may cause stomach pains, cramps, and gastritis.  Delayed: Prolonged or repeated skin overexposure to this product may cause dermatitis (dry, red skin).
4.3	Indication Of Immediate Medical Attention And Special Treatment Needed, If Necessary:	None known.  TARGET ORGANS: Acute: Eyes, Skin

Victims of chemical exposure must be taken for medical attention if any adverse effects occur. Rescuers should be taken for medical attention if necessary. Take a copy of label and SDS to physician or health professional with victim.

## **5. FIRE-FIGHTING MEASURES**

		Flash Point °C: Not applicable			
Flamma	ability properties	Auto-ignition Temperature °C: Not evaluated			
		Flammable Limi	ts (in air by volu	ime, %): Not evaluated	
5.1	Suitable and Unsuitable	This material sho for ordinary com		te to the intensity of a fire.	. Use extinguishing material suitable
	Extinguishing Media:	Water spray	YES	Carbon dioxide	YES
		Foam	YES	Dry chemical	YES
		Halon	NO	Other	
5.2	Specific Hazards Arising from	When involved in a fire, this material may decompose and produce irritating fumes and toxic gases. Reacts with metals to produce hydrogen gas (which is explosive).			
	Chemical:			cal Impact: None. scharge: Vapours are not	expected to ignite
5.3	Special Protective Equipment and Precautions for Fire- Fighters:	Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Move containers from fire area if it can be done without risk to personnel. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.			
5.4	HAZCHEM Code	Not applicable			

## **6. ACCIDENTAL RELEASE MEASURES**

6.1	Personal Precautions	Uncontrolled releases should be responded to only by trained personnel using pre-planned procedures. Proper protective equipment should be used. In case of a spill, clear the affected area and protect people.
	Protective equipment	For small releases (< 20 litres), clean up spilled liquid wearing gloves, goggles, face shield, and suitable body protection. Absorb with earth, sand or other non-combustible material and transfer to containers for proper disposal. The minimum Personal Protective Equipment recommended for response to non-incidental releases (more than 20 litres) should be gloves (neoprene gloves or nitrile gloves), and chemical resistant boots. Prevent further leak/release if it is safe to do so Do not let the product enter drains.
	Emergency procedures	Eliminate all ignition sources. Stop leak if you can do so without risk. Monitoring must indicate that exposure levels are below those provided in Section 8 (Exposure Controls-Personal Protection) and that oxygen levels are above 19.5% before anyone is permitted in the area without Self-Contained Breathing Apparatus.
6.2	Environmental Prevent release into the environment. Do not discharge into sewers or waterways. May produce adverse effects to marine organisms and their environment.	
6.3	Methods and Materials for Containment and Cleaning Up	Use absorbent material for cleaning up spills. Collect spilled material for proper disposal.  Decontaminate the area thoroughly. Place all spill residues in a suitable container. Dispose of in accordance with applicable Australian Federal, State, or local procedures, or appropriate local standards.

### 7. HANDLING and STORAGE

7.1	Precautions for Safe Handling	All employees who handle this material should be trained to handle it safely. Open containers carefully on a stable surface. Ensure all connections are tight before transfer. Empty containers may contain residual liquid; therefore, empty containers should be handled with care. Keep away from ignition sources; no smoking.  As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat or drink while handling this material. Remove contaminated clothing promptly.
7.2	Conditions for Safe Storage	Keep containers tightly closed. Store individual containers out of direct sunlight. Tanks should be stored away from intense heat or direct sunlight. Avoid freezing. Store away from incompatible materials. Storage and use areas should be covered with impervious materials. Keep container tightly closed when not in use. If appropriate, post warning signs in storage and use areas. Inspect all incoming containers before storage, to ensure containers are properly labelled and not damaged.
	Incompatibilities	Acids and strong acids

## 8. EXPOSURE CONTROLS - PERSONAL PROTECTION

8.1	Appropriate Engineering Controls.	Ensure ventilation is adequate and that air concentrations of components are controlled below quoted Exposure Standards. Avoid generating and inhaling mists. Use with local exhaust ventilation or while wearing organic vapour respirator or particulate respirator meeting the requirements of AS1715 and AS1716. Keep containers closed when not in use.			
8.2	Personal Protective Equip	pment			
	Respiratory protection:	None needed under normal co inadequate to control mists or		y approved respirators	s if ventilation is
	Eye protection:	Use approved safety goggles if splash hazards exist.	or safety glasses. Splash	n goggles with a face	shield may be needed
	Hand protection:	Wear chemical impervious gl	oves (e.g., Solvex <sup>TM</sup> , Nec	pprene, Nitrile).	
	Body protection:	None normally needed. If needed, use body protection appropriate for task (e.g., Tyvek suit, rubber apron) to protect from splashes and sprays. Nomex coveralls are recommended for handling bulk product.			
8.3 Biological monitoring Biological monitoring is required if ventilation is inadequate to hazardous chemicals below the following exposure standards.		onitoring is required if ventilation is inadequate to maintain concentration of airborne emicals below the following exposure standards.			
		STEL sets the <i>short term exposure limit</i> , which is the maximum concentration of a substance to which a person can be exposed over a 15-minute period. The TWA sets a time-weighted average airborne concentration to which a person may be exposed. This product is a mixture. The following sets exposure standards only for its constituent parts. Exposure standards have not been determined for this product as a whole.			
8.3.1	Exposure standards [NOHSC:1003(1995)]	TWA (ppm)	TWA (mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )
	Sodium Hydroxide	-	2	-	-
	Proprietary Solvent Blend	20	96.9	50	242

## 9. PHYSICAL and CHEMICAL PROPERTIES

Appearance	This product is a translucent red liquid		
Odour	Distinctive	Odour Threshold	Not applicable
Melting Point °C	Not evaluated	pH	13
Initial Boiling Point °C	100	Boiling Point Range °C	Not evaluated
Flammability	Not flammable	Evaporation Rate (n-butyl acetate = 1)	Not evaluated
Vapour Density (air = 1)	Not applicable	Vapour Pressure mm Hg @ 20°C:	Not evaluated
Solubility (in water)	Completely soluble	Relative density (water = 1)	1.02
Viscosity	Low viscosity (thin)	Oil-Water Partition Coefficient	Not evaluated
How to Detect this Substance (Warning Properties):	This product will have a	a distinctive odour	

### 10. STABILITY and REACTIVITY

10.1	Reactivity	Will not react hazardously with most other chemicals beyond those listed under "incompatible materials".
10.2	Chemical Stability	Stable under normal use and storage.
10.3	Possibility of hazardous reactions	Hazardous polymerization will not occur.
10.4	Conditions to avoid	Avoid mixing with incompatible substances. Do not heat above 60 degrees Celsius in presence of aluminium. Avoid strong oxidisers and strong acids.
10.5	Incompatible materials	Acids, strong acids.
10.6	Hazardous decomposition products	This product is not expected to have any significantly hazardous decomposition products.

### 11. TOXICOLOGICAL INFORMATION

### 11.1 Toxicology Information

Note: This product has not been evaluated for its toxicity as a whole.

Component	Oral LD <sub>50</sub> (mg/kg)	Dermal LD <sub>50</sub> (mg/kg)	Inhalation LC <sub>50</sub> (mg/m <sup>3</sup> )	Skin Irritation	Serious eye damage
Sodium Hydroxide (CAS # 1310-73-2)	No data available	1350 mg/kg (Rat)	No data available	YES (Corrosion)	YES
Proprietary Solvent Blend	1746 mg/kg (Rat)	>2000 mg/kg (Rat)	No data available	YES	Irritation
Proprietary Surfactant Blend	1700 – 5000 mg/kg (Rat)	No data available	No data available	YES	Irritation

### 12. ECOLOGICAL INFORMATION

### ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

#### 12.1 Ecological Information

Note: This product has not been evaluated for its ecologic impact as a whole.

Component	Toxicity to fish	Toxicity to daphnia	Bioaccumulation	Solubility	Biodegradability
Sodium Hydroxide (CAS # 1310-73-2)	125 mg/L (LC50, 96 hr, mosquito fish)	38 mg/L (EC50, 48 hr, water flea)	Not applicable	Soluble	No data available
Proprietary Solvent Blend	1490 mg/L (LC50, 96 hr, bluegill sunfish)	835 mg/L (EC50, 48 hr, <i>Daphnia</i> magna)	Low	Soluble	Biodegradable
Proprietary Surfactant Blend	No data available	No data available	Not expected	Soluble	No data available

12.2	Persistence and Degradability	This product is expected to be readily biodegradable.
12.3	Bio-accumulative Potential	This product is not expected to bio-accumulate.
12.4	Mobility in Soil When spilled onto soil, this product is expected to evaporate slowly.	
12.5	Other Adverse Ecological Effects	This product may be harmful to aquatic life if large volumes of it are released into an aquatic environment.

## 13. DISPOSAL CONSIDERATIONS

Preparing Wastes of this Product for Disposal	Waste disposal must be in accordance with appropriate Australian Federal, State, and local regulations or with local regulations.
Disposal of Contaminated Packaging	Cleaned containers can be recycled or disposed of as non-contaminated waste, if authorized by your local authorities. Dispose of containers as required by local regulations.

### 14. TRANSPORT INFORMATION

#### **Australian Domestic**

14.1	UN Number	1719
14.2	Proper Shipping Name or Technical Name	CAUSTIC ALKALI LIQUID N.O.S
14.3	Transport Hazard Class(es)	8
	Transport label(s) required	CAUSTIC
14.4	Packing Group	III
14.5	HAZCHEM Code	2R
14.6	Environmental Hazards for Transport Purposes	N/A
14.7	Special Precautions for User	Corrosive liquid. Highly alkaline liquid. Ship with caution.
14.8	Additional information	Dangerous goods of Class 8 (corrosive) are incompatible in a placard load with any of the following class 1, 4.3, 5, 6 (if cyanides and class 8 is acid) 7 and incompatible with food and food packaging in any quantity.

#### CLASSIFIED AS DANGEROUS GOODS FOR TRANSPORT BY ROAD OR RAIL

### 15. REGULATORY INFORMATION

#### International

Part	Regulatory Programme	Classification
15.1	Montreal Protocol	Not applicable
15.2	The Stockholm Convention	Not applicable
15.3	The Rotterdam Convention	Not applicable
15.4	Basel Convention	Not applicable
15.5	International Convention for the	Not applicable
	Prevention of Pollution from Ships	

### **Australian Commonwealth and State Regulations**

Part	Regulatory Programme	Classification
15.6	Medicine/Poisons Schedule Number	Poisons, S 6
15.7	Prohibition/ Notification/ Licensing requirements?	Not applicable
15.8	Controlled usage under <i>Agricultural and Veterinary Code Act</i> 1994 (Cth) or otherwise (and any applicable Commonwealth, State or Territory control-of-use legislation)	Not applicable
15.9	Chemical listed on the Australian Inventory of Chemical Substances (AICS)? (See <i>Industrial Chemicals (Notification and Assessment) Act 1989</i> (Cth) (and any condition of use associated with the listing on the AICS)	All ingredients in the product are listed on the AICS

### **16. OTHER INFORMATION**

16.1 Original Preparation
 18 November 2019
 16.2 Revision History
 16.3 Prepared by
 Curran Cleaning Supplies Pty Ltd
 7 Churchill Street
 Williamstown VIC 3016

#### **DEFINITIONS OF TERMS**

16.5	A large number of abbreviations and acronyms appear on this SDS. The following constitutes definitions of those commonly used terms.			
	Section 2	GHS: Global Harmonization System Model WHS: Australia's model Workplace Health and Safety Guidelines CLP: Classification and Packaging STOT: Specific Target Organ Toxicity		
	Section 3	CAS #: Chemical Abstract Service index number		
	Section 5	Health Hazard: 0 (material that on exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials); 1 (materials that on exposure under fire conditions could cause irritation or minor residual injury); 2 (materials that on intense or continued exposure under fire conditions could cause temporary incapacitation or possible residual injury); 3 (materials that can on short exposure could cause serious temporary or residual injury); 4 (materials that under very short exposure could cause death or major residual injury). Flammability Hazard  Reactivity Hazard: Refer to definitions for "Hazardous Materials Identification System".  Flash Point: Minimum temperature at which a liquid gives off sufficient vapours to form an ignitable mixture with air. Auto-ignition Temperature: The minimum temperature required to initiate combustion in air with no other source of ignition.  LEL: The lowest percent of vapour in air, by volume, that will explode or ignite in the presence of an ignition source. UEL: The highest		
	Section 8	percent of vapour in air, by volume, that will explode or ignite in the presence of an ignition source.  TLV - Threshold Limit Value - an airborne concentration of a substance which represents conditions under which it is generally believed that nearly all workers may be repeatedly exposed without adverse effect. The duration must be considered, including the 8-hour Time Weighted Average (TWA), the 15-minute Short Term Exposure Limit, and the instantaneous Ceiling Level (C). Skin absorption effects must also be considered  IDLH - Immediately Dangerous to Life and Health - This level represents a concentration from which one can escape within 30-minutes without suffering escape-preventing or permanent injury. The DFG - MAK is the Republic of Germany's Maximum Exposure Level, similar to the U.S. PEL. NIOSH is the National Institute of Occupational Safety and Health, which is the research arm of the U.S. Occupational Safety and Health Administration (OSHA). NIOSH issues exposure guidelines called Recommended Exposure Levels (RELs). When no exposure guidelines are established, an entry of NE (Not Established) is made for reference.		
	Section 11	LD <sub>50</sub> : Lethal Dose (solids & liquids) which kills 50% of the exposed animals; LC <sub>50</sub> : Lethal Concentration (gases) which kills 50% of the exposed animals; ppm: Concentration expressed in parts of material per million parts of air or water; mg/m³: Concentration expressed in weight of substance per volume of air; mg/kg: Quantity of material, by weight, administered to a test subject, based on their body weight in kg IARC - the International Agency for Research on Cancer; NTP - the National Toxicology Program, RTECS - the Registry of Toxic Effects of Chemical Substances, TDLo, the lowest dose to cause a symptom and TCLo the lowest concentration to cause a symptom; TDo, LDLo, and LDo, or TC, TCo, LCLo, and LCo, the lowest dose (or concentration) to cause lethal or toxic effects. BEI - Biological Exposure Indices, represent the levels of determinants which are most likely to be observed in specimens collected from a healthy worker who has been exposed to chemicals to the same extent as a worker with inhalation exposure to the TLV.		
	Section 12	LC <sub>50</sub> : The lowest concentration in water at which 50% of the test subjects.  EC <sub>50</sub> : The Effect Concentration in water at which 50% of the test species if affected.		

#### DISCLAIMER

The information in this SDS has been provided in good faith, and is believed to the best of the author's knowledge to be accurate as of the date of preparation. However, the author does not represent this to be a comprehensive and exhaustive assessment of the product's risks. There is always a chance that risks were beyond the state of scientific knowledge at the time of writing. It is expected that individuals receiving the information will exercise their independent judgement in determining its appropriateness for a particular purpose. Accordingly, we shall not be responsible for damages of any kind resulting from the use of or reliance upon the information in this document.